

Stand and Trolley Cart

ViewBoard Accessory



About ViewSonic

Boasting 35 years of innovative experience, our R&D team has put together a comprehensive range of display stands and trolley carts to support any presentation scenario.



Fully Integrated with ViewBoard

ViewSonic's stands and trolley carts are fully integrated with the ViewBoard. The ergonomic design offers smooth and easy height adjustment, manually or via on-screen control, as well as providing a power source to avoid cable clutter.





Mobile Trolley Cart VB-STND-001

Featuring a convenient storage tray, lockable wheels and an included mounting bracket for 55"-86" screens, the VB-STND-001 mobile trolley cart is ideal for any VESA compatible displays.

- Robust design for secure presentation display
- Manually adjustable height for improved accessibility and visibility
- Quick-release wheel locks ensure your display remains safely in place
- Compact design effortlessly roll your display through confined spaces
- Convenient storage tray provides a strong steel surface for accessories

Slim Trolley Cart VB-STND-005

Providing mobility to VESA-compatible large format displays from 55"-86" and weighing up to 110 kg, the VB-STND-005 stand is sleek, modern, and easy to install in any space.

- Slim and compact design smoothly move your display through doorways
- Sturdy design for secure presentation display
- Manually adjustable height for improved accessibility and visibility
- Quick-release wheel locks easily lock each wheel with your foot
- Convenient storage tray and mini PC bracket for storage of accessories





Motorised Fixed Stand VB-STND-004

The VB-STND-004 securely accommodates all 55"-86" VESA compatible displays (up to 100 kg). ViewBoard on-screen control offers smooth height adjustments.

- Integrated ViewBoard on-screen control for seamless connectivity (ViewBoard 50 series only)
- Motorised height adjustment raise or lower for improved accessibility
- Built-in power source reduce cable clutter
- Robust, reliable and secure steel design
- Convenient swing arm storage tray for accessories

Motorised Trolley Cart VB-STND-007/ VB-STND-002

The VB-STND-002 and VB-STND-007 accommodate all 55"-86" VESA compatible displays. ViewBoard on-screen control offers smooth height adjustments and silent wheels make for convenient movability.

- Integrated ViewBoard on-screen control for seamless connectivity (VB-STND-002 compatible with ViewBoard 50 series, VB-STND-007 compatible with ViewBoard 62 series)
- Motorised height adjustment raise or lower for improved accessibility
- Built-in power source reduce cable clutter
- Safe learning environment with wheel brakes, anti-collision and caster cover (VB-STND-007 only)
- 360° silent wheels and storage tray for maximum movability and convenience





VB-STND-002

Motorised Trolley Cart VB-STND-003/ VB-STND-008

Featuring smooth motorised lifts, the ViewSonic® VB-STND-003 can securely support any VESA motorised trolley carts from 55"-75" while the VB-STND-008 motorised trolley carts can support 55"-86". With integrated on-screen control, these carts can be manipulated directly from the ViewBoard touchscreen.

- Integrated ViewBoard on-screen control for seamless connectivity (VB-STND-003 compatible with ViewBoard 50 series, VB-STND-008 compatible with ViewBoard 62 series)
- Built-in power source reduce cable clutter
- Motorised height adjustment with 90° tilt raise, lower, and tilt for improved accessibility
- Safe learning environment with wheel brakes, anti-collision and caster cover (VB-STND-008 only)
- 360° silent wheels and storage tray for maximum movability and convenience





Model		VB-STND -001	VB-STND -002	VB-STND -003	VB-STND -004	VB-STND -005	VB-STND -007	VB-STND -008
Display Size		55", 65", 75", 86"		55", 65", 75"	55", 65", 75", 86"	55", 65", 75", 86"	55", 65", 75", 86"	
Max. display weight (kg)		100			110	75		
Tlit Function		n/a		V	n/a	n/a	n/a	V
Vertical Movement	inch	7.09	19.69	19.29	22.05	7.09	22.05	
	mm	180	500	490	560	180	560	
Power Consumption		n/a	100W			n/a	305W	328W
Compliance		REACH, ROHS, WEEE, TPCH, CA65, SCIP	FCC, cTUVus, CE, CB, RoHS, Erp, REACH, WEEE	, RoHS, RoHS, Erp, REACH, WEEE,		UL1678 standard	cTUVus, FCC, Mexican(NOM), UL1678 standard, CE, CB, RoHS, ErP, REACH, WEEE, RCM	
Dimension (WXHXD)	inch	51.2 × 63.0 × 25.6	48.58 x 50.55 x 33.23	48.58 x 45.26 x 33.23	37.80 x 46.54 x 14.84	46.1 x 71.7 x 27.7	49.17x(52.4-74.44)x28.19	
	mm	1300 x 1600 x 650	1234 x 1284 x 844	1234 x 1149.6 x 844	960 x 1182 x 377	1170 x 1820 x 704	1248.9x(1330.7-1890.7)x716	
Gross weight	lb	95.9	122.58	141.10	117.95	59.3	161.6	164
	kg	43.5	55.6	64	53.5	26.9	73.3	74.4
Net weight	lb	65	102.74	119.05	97.66	70.1	141	143
	kg	29.5	46.6	54	44.3	31.8	64	65

About ViewSonic



Proven track record 2000+ quality awards



Dedicated to innovation **80+** R&D Personnel worldwide



Global market leader 100+ countires worldwide



Established reputation 30 years of experience













Reseller Information







Learn more at www.viewsonic.com/uk For more information contact your representative today. Email: sales-uk@viewsonic.com

Contact Number: +44 (0) 207 382 8250

Disclaimer: *Specification are subject to change without notice. We recommend that you check with your local dealers for the latest information.

