



Overview

The ViewSonic CDE4200-L is the ideal display solution for business, hotel, and hospitality environments. It fits perfectly in most spaces, either mounted on a wall or placed on a surface. The 42-inch Full HD LED professional display features versatile input connectivity including 3x HDMI, VGA, Composite, and YPbPr. With a brightness of 350 nits, and a 3000:1 contrast ratio, this LED panel display delivers stunning brightness and contrast at a 6.5ms response time to ensure crisp pictures and smooth playback. Built-in 10W x 2 speakers and SPDIF digital audio output provide crystal-clear sound. The CDE4200-L makes informing, communicating and presenting clear and simple.

- 42" full HD 1920x1080p resolution
- LED backlight technology
- Hospitality programmable display calibration
- USB cloning
- IR pass-through port
- Slim bezel and attractive design

Para más información sobre nuestros productos, visite www.viewsoniceurope.com

Todos los derechos reservados por ViewSonic Corporation. Todos los otros nombres corporativos y marcas registradas son propiedad de sus respectivas compañías. E&EO. Las especificaciones y precios pueden ser modificados sin previo aviso. Las imágenes son solo para fines ilustrativos. Para más información consulte nuestras condiciones de uso.

- HDMI CEC control port
- 200x200 VESA wall mount

42" Full HD LED Large Format Display With Hospitality Calibration Features

The ViewSonic CDE4200-L LED large-format display is designed for use in business, hotel, and hospitality installations. In addition, the CDE4200-L includes USB cloning for easy duplication in multi-screen environments. Features also include automated control using RS232, HDMI CEC control, and IR pass through for easy connection to HD set-top-boxes, media players, and Blu-ray players. A programmable hospitality menu allows for custom calibration of features such as channel defaults, audio levels, and power up—making the CDE4200-L ideal for use as in-room hotel televisions.

Technical Specifications

Dimensiones	Físicas sin la base	974.2 x 567.2 x 64.4 mm
	Embalaje	1200 x 700 x 143 mm
	Físicas con la base	974.2 x 626.3 x 254.0mm
Alimentación	Consumo	59W (typ), 75 W (max)
	Voltaje	100-240VAC +/- 10% 50/60Hz Wide Range
Resolución		1920x1080 @60Hz (148MHz)
Pantalla	Brillo	350 typ.
	Tiempo de respuesta (típico)	6.5ms
	Tamaño	42"
	Ángulo de visión	170/170
	Soporte de color	16.7M colors
	Ratio de contraste	3000:1 typ.
RELIABILITY	Backlight	30,000 Hours Typ
ACCESORIOS INCLUIDOS		Remote control with batteries
		Power cord (for -L model, USx1; for -L-E model, EUx1 + UKx1)
		User Guide (CD, 1 language, English)

Para más información sobre nuestros productos, visite www.viewsoniceurope.com

Todos los derechos reservados por ViewSonic Corporation. Todos los otros nombres corporativos y marcas registradas son propiedad de sus respectivas compañías. E&EO. Las especificaciones y precios pueden ser modificados sin previo aviso. Las imágenes son solo para fines ilustrativos. Para más información consulte nuestras condiciones de uso.

Quick Start Guide (Hard Copy, 1 language, English)

Screw driver

ERGONOMÍA

Giratoria	-15°~+15°
Ajuste de altura	None
Rotación	None
Wall mount	200 x 200
Inclinación	None

AUDIO

Microphone	None
Altavoces	10Wx2 @THD=10%

Peso

Neto sin base	11.9kg
Gross without stand	14.7kg
Gross With Stand	15.4Kg
Neto con base	12.6 Kg

CONNECTORS

CVBS x 1, YPbPr(YCbCr) x 1, HDMI x 3, VGA x 1, SPDIF out (Optical) x 1, Earphone out x 1, USB x1, RS232x 1, PC audio in(3.5 mm) x 1, Shared RCA audio (L+R) x 1, Remote control out x 1

Video I/O

HDMI in	480i, 480p,720p, up to 1080p
YPbPr in	480i, 480p,720p, up to 1080p
CVBS in	480i,576i

REMOTE CONTROL

UNIT

Type	IR; RC5 protocol
Range	Stragt-line distance: 8M Transmit angle + 30° > 6M

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

Para más información sobre nuestros productos, visite www.viewsoniceurope.com

Todos los derechos reservados por ViewSonic Corporation. Todos los otros nombres corporativos y marcas registradas son propiedad de sus respectivas compañías. E&EO. Las especificaciones y precios pueden ser modificados sin previo aviso. Las imágenes son solo para fines ilustrativos. Para mas informacion consulte nuestras condiciones de uso.