

Ultimate Monitor for Entertainment and Gaming

ViewSonic®
See the difference™ 

VX2252mh



ViewSonic's VX2252mh is a 22"/ 56cm (21.5"/ 55cm viewable) Full HD, glossy-finish display that offers the ultimate visual experience for gaming and multimedia entertainment. The VX2252mh features ClearMotiv™ II technology that delivers 2ms ultra-fast response times for blur-free images during extreme gaming, and an ultra-high 50M:1 MEGA Dynamic Contrast Ratio for sharp, crisp colour performance for enjoying movies. Integrated D-sub, DVI and HDMI inputs provide flexible connectivity for high-definition multimedia devices and gaming consoles, and dual built-in 2W stereo speakers complete the package for multimedia enjoyment. With a VESA-mountable design, the VX2252mh can also be used as a wall-mounted display for any of your gaming and video entertainment needs.



Blazing-fast Response Time for Blur-free Action

With 2ms response time, the VX2252mh delivers smooth images without streaking, blurring or ghosting. This blazing-fast response time is perfect for the most graphic-intense gaming needs, and just as great for watching sports or action movies.



Stunning Resolution and Clarity

The VX2252mh features Full HD 1920x1080 resolution for unbelievable pixel-by-pixel image performance. With a 50M:1 MEGA Dynamic Contrast Ratio, the VX2252mh delivers the most amazing clarity and detail whether it be while gaming or enjoying the latest in multimedia entertainment.



Enhanced Visibility with Game Mode

GAME MODE

Game Mode provides enhanced visibility and detail by highlighting dark scenes without over-exposing the bright areas. Seeing your opponents' every move, even in the darkest scenes of a video game, is easy with our preset gaming mode.



50M:1 DCR

MEGA dynamic contrast ratio for sharp, crisp images

A superior dynamic contrast ratio of 50M:1 better defines the relationship between the darkest and brightest colours, ensuring all displayed images are rich and detailed.





Flexible HDMI Connectivity

HDMI is the highest, future-proof video standard, guaranteed for true digital picture clarity. The HDMI interface on the VX2252mh allows you to connect to a variety of HD devices including gaming consoles, Blu-ray players, laptop PCs, digital cameras, and many others for the ultimate true high-definition experience.



VESA-mountable Design

The VX2252mh features a 100 x 100mm VESA-mountable design that allows you to mount the display on a monitor stand or on a wall, depending on your specific needs. You can easily detach the base by unscrewing four screws and then mounting the display on its new stand or wall mount. With a convenient VESA mount and thin bezel display, the VX2252mh is perfect for multi-monitor setup for an unparalleled gaming experience.



Visualización sin parpadeo de ViewSonic para un mayor confort ocular

Los monitores, dotados de la tecnología Flicker-Free de ViewSonic eliminan por completo el parpadeo y cumplen la promesa de ofrecer una visualización más cómoda. Esto le permite trabajar en su equipo, jugar o ver películas durante más tiempo sin fatiga ocular.



Normal

ViewSonic Flicker-Free Technology



Dual integrated 2W speakers

2 WATT x 2

The VX52 series monitor has two integrated speakers for enhanced multimedia performance with crystal-clear stereo sound.





Planet-Friendly Mercury-Free LED Backlighting

LED backlighting enhances display performance, delivers an outstanding color range, and adjusts contrast ratios for remarkably detailed images. The LED backlighting further conserves up to 25%* more energy when compared to conventional displays. In addition, a slim, lightweight profile saves desktop space.



Eco-mode conserves more energy

ViewSonic's proprietary Eco-mode function comes standard with the VX52 series. It offers Optimize and Conserve modes based on the users' working scenarios to reduce display brightness and conserve energy. In low ambient lighting, this function adjusts brightness to improve visibility and reduce eye fatigue. Eco-mode prolongs the monitor's lamp life, improving your return on investment.



Technical Specifications

LCD	Ratio de contraste	1000:1 (typ)
	Ángulos de visión	170°/160° (typ)
	Área de visualización	22"/ 56cm (21.5"/ 55cm viewable)
	Tiempo de respuesta	2ms (OD)
	Superficie del panel	Anti-Glare type, Hard coating 3H
	Brillo	250 cd/m2 (typ)

Relación de
contraste
dinámico 50M:1
Retroiluminación WLED

Audio Amplifier 2W x2
Altavoces 2Wx2

Dimensiones Físicas sin la base 511.14mm (W) x327.24mm (H) x52.72(D)
Embalaje 560mm (W) x 452 mm (H) x128mm (D)
Físicas con la base 511.14mm (W) x402.16mm (H) x 222.52mm (D)

Normativas WEEE, RoHS,CE EMC,CB, WHQL Windows, Energy Star 6,RoHS Green BOM & RoHS DoC, ErP, REACH SVHC List & DoC, Custom Union, UkrSEPRO + DoC

CONTENIDO DE LA CAJA LCD Display Power Cable VGA Cable DVI cable Audio cable Quick Start Guide ViewSonic Wizard CD-ROM

Conectividad Audio Audio in x1, Earphone out x1
Analógico VGA x1
Digital DVI, HDMI

Alimentación Modo Eco 16W
EPA 19W (with Energy Star 6.0 test condition)
Consumo 22W (typical)

ERGONOMÍA Inclinación 0~20 degrees

Peso Neto con base 3.3kg
Neto sin base 2.9kg
Bruto 4.8kg

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.