### Full HD IPS Display for better visual experience











#### **Overview**

The ViewSonic VA2349s is a high-performance 23" wide-angle display with SuperClear™ IPS technology that delivers true colour performance and consistent image quality. With Full HD 1080p resolution, 20M:1 MEGA Dynamic Contrast Ratio, this up-market display offers a stunning visual experience for home and office. It combines function and form with an attractive glossy finish and slim bezel design, as well as VGA and DVI inputs for PC or laptop connections. Plus, with an integrated power-saving Eco mode and Energy Star certification, this energy-efficient display has a lower total cost of ownership. VESA-mount and Kensington security lock compliant, the VA2349s is a flexible and secure solution for homes and semi-public areas.



#### **Full HD Resolution for Superior Pixel Performance**




image reproduction with rich, vibrant visual effects.




# SuperClear™ IPS LED for extremely wide viewing angles

ViewSonic SuperClear IPS monitors produce true colours and consistent images when viewed from the front, from the sides, from below, and from virtually any other viewing angle. No matter your perspective, you will not have any colour shift or

For more product information, visit us at www.viewsoniceurope.com

ViewSonic See the difference™



changes in contrast ratio when you move the image across the screen or change your viewing angle.





### Mega Dynamic Contrast Ratio for Sharp, Crisp Images

#### 20M:1 DCR

A superior dynamic contrast ratio of 20,000,000:1 better defines the relationship between the darkest and brightest colours, ensuring all displayed images are rich and detailed. Combined with an extremely fast 5ms response time, every motion is naturally and accurately reproduced without any blurs.





## **Energy-Saving Eco-Mode**

ViewSonic's proprietary Eco-mode function gives you the choice to optimize (75%) or conserve (50%) energy, thus reducing display brightness and conserving energy by up to 50%. Especially in low ambient light, Eco-mode adjusts brightness and improves visibility while reducing eye fatigue and prolonging the display's lamp life.





#### **ENERGY STAR® Certification**

The VA2349s is environmentally sound, complete with an energy-saving mercury-free LED backlight and Eco-mode. Its ENERGY STAR® certification means you save up to 40% in energy costs when compared to regular 23" monitors.



#### Windows® 8 certified compliance

Windows® 8 Certified, the VA2349s provides the most updated Windows® 8 experience without any compatibility issues. Experience the all-new Windows 8 operating system with ViewSonic's VA2349s display

#### For more product information, visit us at www.viewsoniceurope.com





## **VESA Mount and Kensington Security Lock Compliant**

Designed for use in various settings, the VA2349s' robust design makes it safe and secure wherever it is installed. That's because it comes with a Kensington security lock slot and is VESA wall mount compliant – making it the perfect monitor for all settings.



### **Technical Specifications**

LCD Display Area 23" Wide

Optimum 1920 x 1080p

Resolution

Contrast Ratio 2,000:1 Viewing Angles 178° / 178°

Response Time 5ms

Brightness 250cd / m2

Panel Surface Anti-glare Type, 3H Hardness

20,000,000:1

Dynamic Contrast

Ratio

Backlight White-light LED

Backlight Life 30,000hr (min.)

**VIDEO INPUT** 



	Analog Digital	RGB Analog (75Ω, 0.7 / 1.0 Vp-p) DVI (TMDS, 100 ohms)
	Frequency Sync	Fh: 24 ~ 82kHz; Fv: 50 ~ 75Hz Separate Sync / Composite Sync / SOG
	Syric	Separate Sync / Composite Sync / Soci
COMPATIBILITY	PC	VGA up to 1920 x 1080p Non-interlaced
	Mac®	MAC up to 1280 x 1024
CONNECTOR	Analog	RGB Analog x 1
	Digital	DVI-D x 1
	Power	Internal Power Board , 3-pin Plug (CEE22) x 1
	Audio	N/A
	USB	N/A
ERGONOMICS	Tilt	20° to -5°C
	Swivel	N/A
	Rotation	N/A
CONTROLS	OSD	x 1
	Front Panel	Power Lock / Unlock
POWER	Voltage	AC 100 - 240V (Universal); 50 / 60Hz
	Consumption	22W
	Optimize	18W
	Conserve	15W
OPERATING		
CONDITIONS	Temperature	32°F to 104°F (0°C to 40°C)
	Humidity	10% to 90% (No Condensation)
DIMENSIONS	Physical With Stand	548.4 x 395.1 x 213.5mm
	Physical Without Stand	548.4 x 339 x 49.9mm
	Packaging	605 x 426 x 120mm
WEIGHT	Gross	5.4Kg
	Net With Stand	3.9Kg
	Net Without Stand	3.5Kg

## REGULATIONS



WEEE, RoHS, CE, CB, Windows 7, Window8, Energy Star, EPEAT(Silver), CU sert, UkrSEPRO + DoC, Erp, REACH SVHC List & DoC

POWER MANAGEMENT	Eco Mode: Yes
PACKAGE CONTENTS	Power Cable *1, D-Sub*1, Quick Start Guide *1, ViewSonic CD Wizard *1
VESA® MOUNT	100mm * 100mm

## **ViewSonic® Limited Warranty**

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.