VX2770Sml-LED

Projection your smartphone/tablet to large display











Overview

With a sleek IPS panel, the ViewSonic VX2770Sml-LED display looks as good as it performs. Full HD resolution, an impressive 30 million:1 DCR, and super-wide viewing angles all wrapped in a sexy frameless design. The VX2770Sml-LED also provides versatile connectivity options with MHL (Mobile High-Definition Link), HDMI and VGA, making it ideal for home entertainment, office use, and color-critical applications.

Features



MHL 2.0 connection

MHL stands for Mobile High-Definition Link technology which allows you to display your smartphone to a larger screen, all while charging up your smartphone. The MHL and HDMI connections share the same ports, providing the VX2770Sml-LED flawless streaming from a variety of MHL and HDMI-equipped media devices. These include mobile devices, computers, set-top boxes, Blu-ray disc players, HD digital cameras, and gaming consoles. The MHL connection allows your mobile devices to use this monitor without turning on a PC/Laptop.

For more product information, visit us at www.viewsoniceurope.com






Frameless and slim design with intuitive touch keys

The frameless bezel on the VX2770Sml-LED removes the boundary between the real and virtual worlds, featuring an elegant and glossy finish to enhance any home or office setting. The sleek and seamless touch function key provides a simple and intuitive touch experience, making screen adjustments fast and easy.



SuperClear™ IPS for Super Wide Viewing Angles

The industry-leading SuperClear™ IPS Wide Viewing Angles technology delivers a 178° viewing angle from horizontal and vertical directions, while ensuring the vibrancy and accuracy of images. Brightness levels are consistent across the viewing angles, with no distortion or decay.



Full HD 1080p delivers perfect resolution

Brilliant pixel quality of the 1920x1080 Full HD panel reproduces refined and natural image quality to meet the requirements of computer applications of businesses, graphic design, video production, gaming, and HD video entertainment.



On-Live SRS Premium Sound® surrounding stereo

The dual 1.5-Watt speakers, powered by SRS Premium Sound® surround stereo, delivers an audiophile sound quality for anyone seeking a supreme audio performance and gaming experience. This eliminates the need for external speakers, thus optimizing desk space for better comfort.





30, 000, 000:1 dynamic contrast ratio for clear, sharp images

The superior dynamic contrast ratio of 30,000,000:1 delivers a broader range of grayscale, with darker blacks and brighter whites, while ensuring everything in between is depicted with explicit detail, for a rich and natural image.



Technical Specifications

LCD

27" Wide Display Area 1920 x 1080 Optimum Resolution Contrast Ratio 1,000:1 178° / 178° Viewing Angles 7 ms Response Time **Brightness** 250 cd / m2 Panel Surface Anti-glare Type, 3H Hardness Dynamic Contrast Ratio 30,000,000:1 **Backlight** White-light LED Backlight Life 30,000 hrs (min.) **VIDEO INPUT** Analog GB Analog (75Ω, 0.7 / 1.0 Vp-p) Digital HDMI (TMDS, 100ohms) Fh: 24 - 82kHz; Fv: 50 - 75Hz Frequency Sync Separate Sync/ Composite Sync/ SOG **COMPATIBILITY** PC VGA up to 1920 x 1080 non-interlaced Mac® MAC up to 1920 x 1080 **CONNECTOR** RGB Analog (75Ω, 0.7 / 1.0 Vp-p) Analog HDMI (TMDS, 100 ohms) Digital External Power Adapter *1 Power Audio 3.5mm Headphone Jack *1 1.4 *2 HDMI (input) USB N/A MHL Share with HDMI **AUDIO** Speakers 1.5W *2 **ERGONOMICS** Tilt 20° ~ -5° Swivel N/A Rotation N/A **POWER** AC 100 - 240V (Universal); 50 / 60Hz Voltage Consumption 27W (typ.) Optimize 23W (typ.) Conserve 20W (typ.) **OPERATING CONDITIONS** 32° F to 104° F (0° C to 40° C) Temperature Humidity 10% to 90% (no condensation) **DIMENSIONS** Physical With Stand 622.29mm x 459.30mm x 192.50mm 678mm x 525mm x 179mm **Packaging**

For more product information, visit us at www.viewsoniceurope.com



	Wall Mount	N/A
POWER MANAGEMENT	-	Eco Mode
PACKAGE CONTENTS		AC/DC Adaptor *1, Power Cable *1, Audio Cable *1, VGA Cable*1, HDMI Cable *1, Quick Start Guide *1, ViewSonic CD Wizard *1
WEIGHT	Net With Stand	4.98kg (10.97 lbs)
	Packaging	7.8kg (17.19 lbs)
REGULATIONS		CE, CB, BSMI, SASO, C-tick, UL/cUL, FCC-B (including ICES003), TUV-S, UL CoC, Mexico Energy, GOSTR/Hygienic, UkrSEPRO, Erp, CCC, China Energy, Energy Star 5.2, EPEAT Silver, WEEE, RoHS, SVHC list

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.