

The ViewSonic VX3211-2k is a minimalistic 32”(31.5 viewable) WQHD monitor featuring a Wide Color Gamut and SuperClear® Technology, designed to take you to a higher level of viewing pleasure for both work and entertainment.



VX3211-2K



The ViewSonic VX3211-2k is a minimalistic 32”(31.5 viewable) WQHD monitor featuring a Wide Color Gamut and SuperClear® Technology, designed to take you to a higher level of viewing pleasure for both work and entertainment. With VX3211-2K’s SuperClear® IPS-type panel technology and an upgrade 2560 x 1440 WQHD resolution, users are able to see more on-screen content allowing you to view more while scrolling less for efficiency, while also maximizing image detail. Featuring a wide color gamut with 99% sRGB and 87% AdobeRGB color coverage, VX3211-2K enables professional graphic designers and home users alike to display more and accurate color. With built in DisplayPort, HDMI, and VGA ports, this monitor offers versatile input options to fulfill your connection needs. The minimalist appearance with a slim fish-tail shaped stand makes it a perfect fit for offices and homes of any styles. Furthermore, VX3211-2K also comes equipped with ECO mode and an EPEA 7.0 certificate, which not only reduces energy consumption but also improves visibility and reduces eye fatigue.

- WQHD 2560 x 1440 Resolution
- 99% sRGB color coverage and 87% AdobeRGB color coverage provide richer and more precise color
- SuperClear® technology for vivid picture quality and wider viewing angles
- Versatile connectivity with DisplayPort, HDMI, and VGA
- Dual integrated speakers
- Enhanced viewing comfort

- Lower energy consumption
- Slim fishtail shaped stand with smooth matte finish
- VESA-Compatible Mount Design

---

## Power in numbers with WQHD resolution

VX3211-2K's upgraded 32" WQHD 2560 x 1440 resolution, users will enjoy the benefits of a higher PPI pixel density, which delivers greater image detail, more displayable on-screen content, faster scrolling, and up to 70% more usable desktop space than Full HD, making project management and multitasking easier than ever before.



---

## More viewable color

With 99% sRGB and 87% AdobeRGB color coverage, VX3211-2K covers a larger portion of the color gamut to deliver more shades of viewable color, ensuring that the monitor is able to meet and exceed industry color standard and produce color accurately.



## SuperClear® IPS Panel Technology

Enjoy rich, vivid color with consistent levels of brightness, no matter the vantage point. With SuperClear® IPS-type panel technology, the VX3211-2K monitor delivers the same image quality whether you are looking at the screen from above, below, the front, or the side.



## Flexible connectivity

DisplayPort, HDMI, and VGA, inputs offer a wide range of compatibility, giving you the ultimately flexibility when connecting your devices.

DisplayPort



HDMI



VGA



---

## Dual intergraded speakers

Designed with dual integrated speakers, this monitor combines incredible screen performance with stereo sound for an immersive multimedia experience.



---

## Eye care technology

Flicker-Free technology and a Blue Light Filter minimize eye strain over extended viewing periods.




Blue light filter & Flicker Free

---

## Lower energy consumption

An energy-saving ECO-mode feature along with Energy Star 7.0 and EPEAT Silver compliance incorporates energy efficiency and power savings into its stunning screen performance.




---

## VESA compatibility

Conveniently mount the monitor exactly to your liking by utilizing the 100 x 100mm VESA compatible mount

design.



1. Power
2. HDMI
3. DisplayPort
4. VGA
5. Audio In
6. Audio Out

## Technical Specifications

---

LCD PANEL

Monitor Size

32"W (31.5" Viewable) LCD monitor

Panel Technology	IPS Technology, ADS Type, a-si TFT Active Matrix LCD	
Resolution	WQHD 2560 x 1440	
Display Area	698.112mm (H) x 392.688mm (V)	
Aspect Ratio	16:9	
Brightness	250 cd/m2 (Typ), 200 cd/m2 (Min)	
Contrast Ratio	1200:1 (Typ), 800:1 (Min)	
Dynamic Contrast Ratio	80,000,000:1	
Viewing Angle	178 degrees / 178 degrees (Typ)	
Refresh Rate	N/A	
Response Time	Tr+Tf:N/A GTG(AVR; Panel OD):8ms (Typ) GTG(AVR; Scaler OD) *2: 3ms	
Backlight	2 LED light bar	
Backlight Life	30,000 Hrs (Min)	
Colours	Depth: 1.07B colors (8-bit+FRC)	
Colour Gamut	sRGB: 127.72% size / 99% coverage NTSC:90.46% size / 82.55% coverage Adobe RGB:94.66% size / 87.66% coverage	
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%	
Pixel Pitch	0.2727mm (H) x 0.2727mm (V)	

<b>INPUT SIGNAL</b>	Frequency	Fh = 24 ~ 83KHz ; Fv = 50 ~ 75Hz
	Sync	Separate Sync / Composite Sync / Sync on Green

<b>COMPATIBILITY</b>	PC	Windows 10 certified
	Mac®	Power Mac tested

<b>CONNECTOR</b>	Digital	HDMI x 1 (v1.4 compatible) DisplayPort x 1 (v1.2 compatible)
	Analog	DB-15 x 1
	Audio Out	Earphone out x 1 (3.5mm plug)
	Audio In	Audio in x 1 (3.5mm plug)

<b>SPEAKERS</b>	2.5W x 2
-----------------	----------

<b>USB</b>	N/A
------------	-----

<b>SD CARD READER</b>	N/A
-----------------------	-----

<b>WEBCAM</b>	N/A
---------------	-----

<b>POWER</b>	Power	3-pin plug (CEE22) x 1
	Voltage	AC 100-240V (Universal); 50/60Hz
	Consumption	50W
	Optimize	42W
	Conserve	35W

<b>ERGONOMICS</b>	Tilt	13 ~ -5 degrees
	Swivel	N/A
	Rotation	N/A
	Height Adjustment	N/A

<b>SPECIAL FEATURES</b>	DDC/2B, DDC/CI, HDCP, KENSINGTON Microsaver Security Compatible,
-------------------------	--

Flicker Free

---

<b>WALL MOUNT</b>	VESA®	100mm x 100mm
-------------------	-------	---------------

---

<b>OPERATING CONDITIONS</b>	Temperature (° F / ° C)	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)

---

<b>DIMENSIONS (W x H x D) (mm)</b>	Physical with stand (mm)	729.7mm (W) x 495.5mm (H) x 230.02mm (D)
	Physical without stand (mm)	729.7mm (W) x 432.8mm (H) x 58.33mm (D)
	Packaging (mm)	838mm (W) x 615mm (H) x 282mm (D)

---

<b>WEIGHT</b>	Net with stand (kg)	6.9kg (15.21lbs)
	Net without stand (kg)	TBD
	Gross (kg)	10.5kg (23.15lbs)

---

<b>REGULATIONS</b>	VSA: cULus, FCC-B, ICES003, Energy Star, EPEAT Silver, UL-MX-CoC, Mexico Energy VSI: RCM, MEPS VSE:CE EMC, CB, RoHS, ErP, REACH, EEL, WEEE, EAC, UkrSEPRO VSCN:N/A
--------------------	---

---

<b>WARRANTY</b>	*Warranty offered may differ from market to market
-----------------	--

---

<b>PACKAGE CONTENTS</b>	LCD Display Power Cable (1.5m) HDMI Cable (1.5m) Audio Cable (1.5m) Quick Start Guide
-------------------------	---

---

\*Actual content may differ from market to market

## ViewSonic® Limited Warranty

---

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

---

For more product information, visit us at [www.viewsoniceurope.com](http://www.viewsoniceurope.com)

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.