

Dual Band Wireless Module for ViewBoard® IFP50 Series

LB-WIFI-001



The ViewSonic LB-WIFI-001 wireless module delivers fast wireless internet connection for ViewSonic ViewBoard® interactive displays (IFP50 series). It supports dual frequency 2.4GHz and 5.0GHz bandwidth, along with the newest 802.11AC standard to provide up to 433Mbps transmission.

Dual Band Wireless Support

This device offers a 2.4GHz and 5GHz dual band wireless transmission that smoothly streams multimedia content such as videos and images, without any delays. The 2.4GHz frequency is perfect for web browsing and presentations, while the wider bandwidth of 5GHz is perfect for streaming high-quality videos and games.


2.4GHz and 5GHz, smooth playback



Faster Wi-Fi

Wireless 802.11 AC delivers incredibly fast Wi-Fi performance with internet speeds of up to several gigabits per second.

802.11AC wireless network



Caractéristiques Techniques

Core	CPU	Realtek RTL8821AU-VS
Storage	Interface	USB 2.0
Wireless / Bluetooth		Wifi Standard: 802.11 a/b/g/n/ac, 2.4G & 5G(5150MHz-5250MHz & 5725MHz-5825MHz), Up to 433.5Mbps Bluetooth: Support 2.1/3.0/4.0 BLE
Power	Voltage	5V DC
	Consumption	< 2.5W

OPERATING CONDITIONS

Temperature (° C)	32°F to 104°F (0°C to 40°C)
Humidity	10% ~ 90% non-condensing

DIMENSIONS

Physical (inch / mm)	3.90x0.43x3.03 in / 99x11x77mm
Packaging (inch / mm)	3.54x0.63x6.18 in / 90x16x157mm

WEIGHT

Net (lb / kg)	0.07lb / 30g
Gross (lb / kg)	0.18lb / 80g

REGULATIONS

FCC, FCC ID, IC ID, CE, RCM

PACKAGE CONTENTS

1. LB-WIFI-001
 2. QSG
-

Pour en savoir plus, rendez-vous sur : **www.viewsoniceurope.com**

Tous droits réservés par Copyright ViewSonic Corporation. Tous autres noms de sociétés et marques sont propriété de leurs sociétés respectives. E&EO. Les caractéristiques techniques et prix susceptibles de modifications sans préavis. Les images peuvent être utilisées seulement à des fins d'illustration. Pour en savoir plus consulter nos dispositions légales.