PJD5134

Performs Better and Lasts Longer



Overview

ViewSonic's new PJD5 Series features DynamicEco Technology to automatically adjust lamp brightness and thereby extend lamp life to 10000 hours. Requiring only 0.5W power consumption in standby mode, the PJD5 series lowers the total ownership cost, making it a budget friendly option. This series has a slim and portable design that weighs less than 5 pounds. Boasting BrilliantColor™ technology, 3,000 lumens, and 15,000:1 contrast ratio, the PJD5 series delivers clear, crisp images and vivid, accurate colors, while supporting a variety of resolutions, to best meet the environmental requirements of any professional presentation. The HDMI connection, multiple video input options and integrated speakers in the PJD5 series provide flexible connections to a variety of devices. Additionally, the Off-to-Go mode, vertical keystone correction, and 144Hz/3D ready functions allow the operation of this projector series to be simple and efficient, making business presentations convenient, smart, and easy. The PJD5 series delivers value to you by fully utilizing every second.

Features



Hight brightness and contrast ration ensures the stunning image quality

The PJD5 series carries a variety of models with a versatile range of resolutions to cater to specific image quality requirements. Each model will support 3,000 lumens brightness and 15,000:1 contrast, ensuring the image quality will remain crystal clear and vivid even in the bright environments.







DynamicEco Technology makes excellent energy conservation

ViewSonic's proprietary DynamicEco Technology will automatically adjust lamp brightness to render a longer projector lamp life and conserve up to 70% power consumption.




BrilliantColor™ technology delivers vivid colour to the life

ViewSonic integrates BrilliantColor™ technology into the PJD5 series to construct digital colours that deliver stunning and vivid images. The advanced 6-segment colour wheel enriches the performance of the yellow colour and further augments overall colour reproduction to present defined picture quality.




10000-hours high performance long-life light bulbs

The energy-saving mode on the PJD5 series automatically adjusts the brightness, which extends the lamp light to up to 10,000 hours and saves on maintenance costs.



3D Projection Ready HDMI 1.4 Input (only for PJD5134, PJD5234, PJD5234, PJD5234L, PJD5533w) The 3D DLP® Link technology supports an image update frequency of 144Hz, allowing the projected image to be shown with a 3D stereoscopic effect. Along with HDMI 1.4,







Ultra-low power consumption in standby mode

The PJD5 series consumes only 0.5W in standby mode, saving ownership cost and practicing environmental friendliness.




Off-to-Go Mode saves your time

The efficient Off-to-Go mode on the PJD5 series enables quick shutdown and turn-on, saving every second of your valuable time. The PJD5 series takes only 3 seconds to turn on, while shutting down instantly and requiring zero power consumption to cool down the projector.



Easy vertical keystone correction

When projectors are tilted, the projection image aspect ratio may display rectangular images in a trapezoidal shape, resulting in image distortion. The PJD5 series offers +40°/-40° keystone correction to fix projected image distortion issues easily and quickly.



Technical Specifications

Product Specification Resolution SVGA (800 x 600)

Brightness (ANSI 3,000

Lumens)

Contrast (with Dynamic 15,000:1

Contrast Ratio)

Lamp Hour (Normal / 5000/6000/10000

Eco / DynamicEco)

Vie



Throw Ratio in Meters 1.86 ~ 2.04

(Wide ~ Tele)

Optical Zoom 1.1x Digital Zoom 2.0x

Screen Size $24'' \sim 300''$ Projection Offset 120% +/-5%

Display Colours 1.07 Billion Colours

Keystone (Vertical) +/- 40°

Noise min (Normal /

Eco)

32dB / 29dB

Speaker 2W x 1

Input HDMI In HDMI (1.4) x 1

VGA-in 2

Component Input shared with VGA-in

S-Video 1
Composite Input 1
Audio-in (3.5mm) 1
Audio-in (RCA pair) NA
USB Type A NA

control)

USB Type B (mouse

Mini USB 1 (Firmware, mouse control)

NA

Microphone in (3.5mm) NA SD Card reader NA

Output VGA-out 1

Audio-out (3.5mm) 1

Control RS232 (9 pin) 1

Network Mangment

(LAN cable)

NA

12V Power Trigger NA

Features 3D Compatible(optional Yes

PGD-250 3D glasses

require)

Interactive (optional NA PJ-PEN-003 required)

Low Power Standby < 0.5W
Off-to-Go
Yes
3 sec. on / 0 sec. off
Wireless Display
NA

(optional WPD-100 dongle required





Network Control NA Network Display NA Auto Keystone NA Microsoft Office Viewer NA Sleep Timer Yes Presentation Timer Yes Subtitles (Closed Yes Captioning) Password Protection Yes Security Bar NA Keypad Lock Yes NA

Customized Start-up

Screen

DynamicEco / Movie mode / Contrast

Yes / Yes / Yes

Dimension/Others Dimension (WxDxH) 268 x 221 x 84.4 mm

> Net Weight 2.1kgs

Power Source 100V ~ 240V / 50~60Hz

Power Consumption 250W (Max)

Accessory Power cord 1

> VGA cable 1

Remote Control Normal Quick Start Guide & Yes, CD

DVD

Carry bag NA HDMI Cable NA

Language On Screen Display English, France, Spanish, Thai, Korea, Germany, Italian, Russian, Swedish,

Dutch, Polish, Zech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese,

Finnish, Indonesian, India, Arabic, 21 total

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.